





The ENMED ENM - 213 Disposable Isolation Gown is designed to protect from low hazard liquid spray Which are designed to protect health professionals and patients from cross infection. These gowns have a barrier protection to fluids with the added comfort.

Key Features

- · Low lint.
- · Latex free
- · Fluid repellent.
- · Knitted cuffs for comfort (Optional)

Comfort and Protection



CAT III

EN 13688:2013



Liquid **Protection** Type PB [6] - Light Liquid Splashes (EN 13034:2005+A1:2009)



Biohazard

Type PB [6] - B Infective Agents (EN 14126:2003/AC:2004)

Materials

Fabric: PP + PE 30-35GSM Cuff: Knitted cuff (Optional)

Specifications: Anti-Static, Flame Reterdant

Sewing: Overlock

sewing for sleeves and shoulders. Overlock sewing for knitted cuff. Lockstitch for ribbon on the neck.

Color: Blue

Approvals

Products CE marked as per 93/42/EEC Directive on Medical Devices. Class of the device: I, sterile. These products are EN 13795 compliant. Notified Body: TSE (1783)

Storage and Disposal

- · Store in dry, clean conditions in original packaging, away from direct sunlight, sources of high temperature, and solvent vapours
- Store within the temperature range -5°C to +25°C and with relative humidity below 80%
- Expected shelf life is three years from date of manufacture when stored as stated
- Replace garments if damaged, heavily contaminated or in accordance with local work practice or regulations
- · Handle and dispose of contaminated garments with care and in accordance with applicable regulations.

Limited Use



DO NOT RE USE

DO NOT DRY CLEAN

DO NOT WASH LAUNDERING IMPACTS UPON

PROTECTIVE



DO NOT BLEACH

FLAMMABLE KEEP AWAY FROM SPARKS OF

DO NOT MACHINE DRY



DO NOT IRON









CAUTION

Warnings and Limitations

Before use read and understand all user instructions and be sure that the product is suitable for the application and fitted correctly. Product must never be altered or modified. Prior to use inspect the clothing for any damage that could affect its protective function. Replace any damaged clothing. Care should be taken when removing contaminated garments, so as not contaminate the user with any hazardous subtances. If garments are contaminated, then decontamination procedures should be followed prior to removal of the garment. The wearing of chemical protective clothing may cause head stress if appropriate consideration is not given to the workplace enviroment. Appropriate under garments should be considered to minimize head stress or damage your garment.

Do not use for:

Contact with heavy oils, sparks or flame, or combustible liquids; Environments with high mechanical risks (abrasions, tears, cuts); Environments with conditions of excessive heat.





ENM-213 Technical Datasheet

Applications and Performance

Non-Hazardous Hazardous No **Dusts & Fibres Particulates** Non-Hazardous Hazardous Yes, if chemical is compatible Yes Liquid Splash Liquid Splash with suit material Non-Hazardous Hazardous Yes, if chemical is compatible No **Liquid Spray Liquid Spray** with suit material **Liquid Continuous** Acids/Alkalis No **Contact/Immersion** Organic No Gases and Vapours No **Solvents**



BARRIER HIGH




AAMI Level	Liquid Volume	Liquid Pressure	Estimated liquid Volume & Operation Time	Application
Level 4	Large Volume	Large	≥ 500ml ≥ 3 hours	Large liquid volume operations & operations for infectious patient
Level 3	Medium Volume	Medium	≥ 100-500ml ≥ 1-3 hours	General operations
Level 2	Small Volume	Small	≤ 100 ml < 1 hour	Simple Operations
Level 1	Very Small Volume	Very Small	Very small volume & very short time	

Sizing

An appropriate size garment should be selected to allow sufficient movement for the task.

SIZE	HEIGHT	CHEST
S	120 cm	73,5 cm
М	123 cm	75,5 cm
L	126 cm	77,5 cm
XL	130 cm	77,5 cm
2XL	133 cm	79,5 cm



Important Notice

This guide is only an outline. It should not be used as the only means for selecting protective clothing. Before using any protective clothing, the wearer must read and understand the user instructions for each product. Specific country legislation must be observed. If in doubt, contact a safety professional. Selection of the most appropriate PPE will depend on the particular situation and should only be made by a competent person knowledgeable of the actual working conditions and the limitations of PPE.

Final determination as to the suitability of these products for a particular situation is the employer's responsibility. This information is subject to revision at any time. Always read and follow all User Instructions supplied with your Disposable Protective Gown in order to ensure correct operation. If you have questions contact ENMED Technical Service.

LIMITATION OF LIABILITY: Except as provided above, ENMED shall not be liable or responsible for any loss or damage, whether direct, indirect, incidental, special or consequential arising out of the sale, use or misuse of ENMED products, or the user's inability to use such products.

Central Adress
Atatürk Mah. 31043 Sk. Kubat Apt.
No: 8/B Mezitli / MERSİN/TURKEY
Organized Industrial Zone Adress
Çilek Mah. 63150 Sk. No:3 Akdeniz / MERSİN